

FONTERRA COROROKE SALE

**15 FACTORY ROAD
COROROKE VIC 3254**

**CONTROLLED VIEWING
AND OFFER DAYS
6 SEPTEMBER 2017**



TABLE OF CONTENTS

- 1.0 TERMS AND CONDITIONS**
- 2.0 DETAILED LISTING**
- 3.0 OFFER DOCUMENT**



OFFER SUBMISSIONS – CLOSE 11 SEPTEMBER

| | | | |
|-----------------|--|----------------|--|
| Company: | | | |
| Name: | | | |
| Address: | | | |
| Email: | | | |
| Phone: | | Mobile: | |

| ITEM NO: | DESCRIPTION: | PRICE OFFERED: (AUD Excluding GST) |
|----------|--------------|---------------------------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

COMMENTS:

RETURN TO:

**Reactive Engineering Pty Ltd
189 Power ST Glendenning NSW 2761
Tel: 02 9675 5100 Fax 02 9675 5199
Email: sales@reactive-eng.com.au**

1.0 Terms and Conditions of Sale Cororooke

Asset Condition

Goods are sold as is where is without warranty. Inspection of the equipment is highly recommended. All items are used.

Offers

Closing date for offers 11 September, final date for removal is 6th October unless otherwise advised.

Asset Removal Post Sale

Pickup can only be made once cleared funds are received in full. Price for which the goods are sold does not include the removal costs. Costs for removal are for the buyers account. Collection of Assets is the responsibility of the purchaser.

Assets are to be removed only by Fonterra Personnel or Fonterra Approved Contractors, whom have met Fonterra site induction and OH and S protocols. Once Assets have been removed, you will be advised to organise pickup and transport.

Any items remaining uncollected 21 days after advice of pickup will be deemed abandoned and/or may incur a daily storage fee of \$50 per day and or/removal fee.

If walls, roof or the building needs to be removed to extract equipment, a bond maybe required and the walls, roof or the building will need to be made good.

A forklift will be available on site for loading. This is only to be operated by Fonterra personnel.



General Terms

Reactive reserves the right the right to withdraw a lot for sale at any time, until an offer is accepted.

Reactive may refuse to accept any offer which in the company's opinion is not in the best interests of the vendor, and may exclude any persons or persons whatsoever from the site at any time for any reasons whatsoever.

Any statement as to the quantity, quality or size of the goods is approximate only and is as represented by the Company. The company gives no warranty that the information as stated is correct.

GST and Buyers Premium

All goods are sold GST Exclusive. There is no buyer's premium.

Payment

Payment can be made by cheque or electronic funds transfer. Bank account details are:

Bank: National Australia

Branch: Marrickville

BSB: 082 356 Account No: 660 46 6017

Payment is required in full upon receipt of invoice.



| | |
|--|---|
| | |
| | Motorised Pallet Conveyors |
| | Robot D – Model No. FS045N C Manufactured 07/2007 Kawasaki, 6 axis 45kg Payload |
| | Robot E – Model No. FS0060810 Manufactured 07/2007 Kawasaki, 6 axis 6kg Payload |
| | |

| | |
|-----------|--|
| 8020157A | Lab Incubator; Qualtex watson victorDimensions (m):Length: 0.55Width: 0.56Height: 0.78 |
| 8020174B | Motor; Leroy summer motor3kwV130 pump systems1.5 connections |
| 8020174A | Pumps; 2 x Water Pumps |
| 8020182 | Exhaust Fan; Exhaust Fan930RPM |
| 80201400 | Zalkin Capper 8 head magnetic clutch with hopper |
| 80201401 | J & F Bottle Packer |
| 80201402 | Bottle Crush |
| 80201403 | Posimat Divider |
| 80201404 | ITW Mima Cobra XL Pallet Wrapper |
| 80201405 | Posimat Bottle Elevator |
| 80201406 | Tank Kiset Silo V Shape 2 Metre leg 2.3 metre squared |
| 80201407 | Fenton Power System |
| 80201408 | Various reels of power cable |
| 80201409 | Vacuum Pallet Lifter S/S |
| 80201410 | Various Motors |
| 80201411 | Pallet Lifter |
| 80201412 | Plastic Hose & Fans |
| 80201413 | Pallet of strapping and rubbish bins |
| 80201414 | Box of misters and tools |
| 80201415 | Festo Hydraulic rams |
| 80201416 | Water bath and foss |
| 80201417 | Incubator |
| 80201418 | Incubator |
| 80201419 | Incubator |
| 80201420 | Incubator |
| 80201421 | Part of conveyor |
| 80201422A | APV heat exchanger single section |
| 80201422B | Empty Control Box |
| 80201422C | Empty Control Box |
| 80201423A | Misc Stainless Steel |
| 80201423B | Misc Stainless Steel |
| 80201423C | Stainless Steel Stairs |
| 80201423D | Control Cabinet Darfuss Electrics |
| 80201423E | Stainless Steel Platforms |
| 80201423F | Stainless Steel Platforms |

| LOT No. | Description |
|----------|---|
| 8020001 | APV Pump centrifugal 1.5/2; |
| 8020002 | Tank; 20;000L Mild Steel outer Rust on legs |
| 8020003 | Pump centrifugal; 2/3 |
| 8020004 | 36;000L Brine Tank Mild Steel outer Top of side manway 6.25 m length x 2.5 m diameter legs 2.7 m |
| 8020005 | Cooling Towers Baltimore Aircoil |
| 8020006 | Cooling Towers; Baltimore Aircoil |
| 8020007 | Ammonia Vessel; 500 litres |
| 8020008 | Nako Dosing System For Cooling Tower; Dosing pump flow meters probes |
| 8020012 | Generator Onon 85 DGDB (withdrawn); Generator -with soft start-106 KVA 8020013; |
| 8020013 | Champion Air Compressor Model APPIO; Air Compressor |
| 8020014 | Vacuum Pump; Busch |
| 8020015 | Sump Pump |
| 8020016 | 2x Hydraulic Power Packs 1 x Hydraulic Power Pack 1 x Moore approx 60 cst at 40 deg C Model V389 9/81(for cheese equipment) |
| 8020017 | Tank Furphy brand - 14;000 litres CIP Caustic Insulated Stainless Steel Clad Temperature probe Level Indicator Stairway access &; top manway |
| 8020019A | Pump centrifugal APV; 2/2.5 Stainless steel Motor 7.5kw |
| 8020020 | Tank; 3;800 litre Rinse water with wilden pumps (two spare on ground) height 2.6 m x dia 1.35 |
| 8020021 | Tank; 780 L Hydroperoxide Single skin bottom centre outlet |
| 8020022 | Tank; 870 litre Hot Water Tank Stainless steel Top Manway; bottom; outlet with keystone valve |
| 8020780 | Pump Southern Cross model 5x3/16; Cast iron - To steam/hw |
| 8020025 | Heat Exchanger; Steam - HW exchanger modules 1x Turabla Dimble tube 149T19892001 - with conductivity pump; steam valves; and control box1x Unknown tube |
| 8020026 | Pump Grundfos multistageto steam/HW system |
| 8020027 | Tank; 5;800 litres Nitric Acid Stainless Steel – Dome Bottom - Side manway Top and bottom level sensors Overflow 2 x Keystone valves |
| 8020028 | Tank; Stainless steel tank with Grundfos pump Insulated/clad 340 litres |
| 8020029 | Tank; 4;800L Tank Rinse water Top manway - Cone bottom |
| 8020030A | Pump APV W Series; centrifugal ; 35/55 |

| | |
|----------|---|
| 8020030B | Pump APV W Series; centrifugal ; 35/55 |
| 8020030C | Pump APV W Series; centrifugal ; 35/55 |
| 8020031 | Tank; 3,900 litres Dilute Caustic single skin centre manway cone bottom |
| 8020032 | Tank - Horizontal; Horizontal mild steel clad Twelve legs Alcove to building one Agitation Motor 28;000 Litres |
| 8020033A | Tank; Mild Steel clad Ten legs Agitator & Motor Alcove 40;000 litres |
| 8020033B | Tank; Mild Steel clad Ten legs Agitator & Motor Alcove 40;000 litres |
| 8020033C | Tank; Mild Steel clad Ten legs Agitator & Motor Alcove 40;000 litres |
| 8020034 | Safety Shower & eye wash |
| 8020035 | Safety Shower & eye wash |
| 8020036 | Drum Lift, STS brand model DTP04; Drum Lift SWL 350kg |
| 8020037 | Tank; Stainless Steel – insulated Side Agitator Level transmitter 100;000 litre |
| 8020038 | Pump APV Centrifugal 2/2 With 38A Filter |
| 8020039 | Tank; 5;500 litres Single skin Stainless steel Top Manway Side ladder |
| 8020040A | Magnetic Flow Meter Foxboro 47 series 4700s - 050PFA – A |
| 8020040B | Magnetic Flow Meter Foxboro 47 series 4700s - 050PFA – A |
| 8020041A | Tank Stainless Steel insulated & Jacketed Temp gauge 1;200 Litres |
| 8020041B | Tank Stainless Steel insulated & Jacketed Temp gauge 1;200 Litres |
| 8020042 | Pump APV W series centrifugal; 35/35 4kw 2900rpm |
| 8020043 | Pump APV centrifugal; 2/2.5 Stainless steel 5.5kw motor |
| 8020044A | Starter Pot Tank Stainless Associates 4600 litre Stainless Steel insulated jacketed tank with heating jacket. Side top agitator & Motor Each with pall steam filter on top Control Panel Platform and stairs 2.4 m w x 3.8 m l x 2.4 m h |
| 8020044B | Starter Pot Tank Stainless Associates; 4600 litre Stainless Steel insulated; jacketed tank with heating jacket. Side top agitator & Motor Each with pall steam filter on top Control Panel Platform and stairs 2.4 m w x 3.8 m l x 2.4 m h |
| 8020046 | Pasteuriser; APV; 21;500Lph Includes -Balance tanks-3x filters -Control Panel (AB900 panel view plus 600) -4 Pump (2 product) (2 service) - Direct Steam -4 section PHE K55 1991 Serial No. 28117; Drwg 11513239/9 -Flow Meter Room size 4 m x 7.2 m x 4m |
| 8020047 | Heat Exchanger; Single Section Stainless clad and plates |
| 8020048 | Tank 2500 litre Open top insulated |
| 8020049 | Pump APV centrifugal 30/50mm 7.5kw |
| 8020053 | Emergency Eye Wash |

| | |
|-----------|---|
| 8020 E17 | Heat Exchanger; Hot water - Steam Heat Exchange Shell in tube |
| 80201383 | Tank &; Pumps; Small Tank & 2 Pumps |
| 80201384 | Tank; Filter & Pump; Tank; Filter & Pump |
| 80201369A | Screw Pump; |
| 80201369B | Screw Pump |
| 80201369C | Centrifugal Pump; Centrifugal pump |
| 80201366A | Tank; Square tank with mild steel frameDimensions (m):Length: 1.37Width: 1.08Depth: 0.52 |
| 80201366B | Tank; Round TankDimensions (m):Diameter: 1.2Height: 0.436 |
| 8020E16 | Ammonia Vessel & Heat Exchanger; Ammonia Vessel & single section heat exchanger |
| 8020E15 | Bale Press model MT330; Bale Press |
| 8020391A | Tank With Pump; Tank with pumpBottom outletSingle skinCentrifugalDimensions (m):Height: 0.93Diameter: 0.7 |
| 8020377A | Plastic Tubes; 64x Red plastuc tubes |
| 8020377B | Champion Marathon screw compressor; Champion Marathon45kw750kpa |
| 8020377C | High Voltage Cabinet; High Voltage Cabinet Dimensions (m):Height: 2.0 Width: 1.8 Depth: 1.2 |
| 8020373A | Conveyor Chain; 1 pallets/S0.37 kw motor1500 long200mm Diameter |
| 8020351A | Roller Conveyor; High level roller conveyor on S/S frame with mobile wheels. Dimensions (m):Height: 1.85 Length: 1.1 Width: 0.6 Roller Width: 0.4Pitch: 0.1 |
| 8020351B | Powder Feed Hopper; S/S Powder feed hopper on S/S stand Offset pyramid bottom Dimensions (m):Length: 0.25Width: 0.25 Depth: 0.73 |
| 8020324A | Fan nedeman 91440-90; Fan for sucking fumes |
| 8020309 | Carton Taper jmp; Carton Taper with Alan Bradly panel view plus 400 |
| 8020083A | Conveyor; Linking Conveyor Dimensions (m):Width: 0.5Length: 0.5Height: 1.0 |
| 8020083B | Conveyor; Sorting conveyor with 2 lanes Dimensions (m):Length: 1.48 Width: 0.45Height: 1.2 |
| 8020083C | Vacuum Packer; Old Rivers Vacuum Packer |
| 8020083D | Shrink Tunnel; Shrink Tunnel Conveyor Dimensions (m):Length: 3.8 Width: 0.4 x 0.96 |
| 8020083E | Metal Detector; Metal Detector Dimensions (m):Internal Diameter: 0.5 Height: 0.2 |

| | |
|----------|--|
| 80201386 | Dust Collector chem plant; S/S Dust collector Dimensions (m):Height: 3.0 Length: 1.3 Width: 2.1 |
| 80201387 | Hot Water Cylinder; Hot Water Cylinder 400L capacity |
| 80201388 | Emergency Shower; Emergency Shower |
| 8020107B | Pump centrifugal; APV Puma series 52/2.57 inch impeller 7.5kw R500 RPM |
| 8020099D | Pump centrifugal; Puma Pump 2/2.5 |
| 8020099E | Pump & Valves; Pump & 5 valves |
| 8020099F | Filters; 2x Inline Filters |
| 8020109 | Buflovac Drier; Buflovac Drier-20 tons per day-L Feed tank-Heat Exchanger (Tube) pre heater-High pressure pump: K123PS-Bag House-Dust Separator Dimensions (m):Height: 8.76 Length: 14.6 Height: 9.9 |
| 8020100A | Tank; S/S Tank Single skin Lifting Lid Floating control valve on side inlet Dimensions (m):Height: 1.1 Total Height: 1.42 Diameter: 0.9 |
| 8020100B | Tank; 1500L S/S Tank Guavac Eng France 0AP43 Weight: 800kg empty Chilled water jacket with 3 valves Top manway inlet/CIP Agitator motor |
| 8020E10 | Self opening doors Nergeco Australia; Dimensions (m):Height: 3.0 Width: 1.37 |
| 8020E11 | Self opening doors Nergeco Australia; Dimensions (m):Height: 3.0 Width: 1.37 |
| 8020096B | Palletising Line; -Robot (F) (Stanhope):160kg payload-Vacuum pump: Rietschle Thomas-Pallet Dispenser-Pallet mover-4 Lane pallets out to off take roller-Conveyor to shrink machine-Pallet stacker Overall dimensions (m):Length: 12 Width: 7.8 |
| 8020E06 | Wash Tank; Internal Dimensions (m):Length: 2.49 Width: 1.0 Diameter: 0.3 Height: 0.9 |
| 802093A | Conveyor; Upstairs Conveyor For shred (through roof) Dimensions (m):Height: 3.6 Width: 0.2 |
| 8020087B | Pallet Loading; Pallet Loading 3 lanes of pallet conveyor to cheese line |
| 8020E07 | Safety Shower; Safety Shower |
| 8020E09 | Washing Tank; Washing Tank Internal Dimensions (m):Length: 2.8 Width: 1.2 Depth: 0.7 |
| 8020072A | Open Top Tank; Open Top Tank Bottom end inlet/outlet Internal Dimensions (m):Length: 0.9 Width: 0.5 Depth: 0.68 |
| 8020072B | Pump; Pump |
| 8020 E05 | Automatic chain block Lifter Pacific hoists 2.5kg Lifter |

| | |
|----------|--|
| 8020054A | Cheese Vats (offshore purchasers only); 16;000 litres ;4 Damrow cheese vats;-Platform &; stairs;-Vats complete;-Control panel |
| 8020054B | Cheese Vats (offshore purchasers only); 16;000 litres; Damrow cheese vats;-Platform &; stairs;-Vats complete;-Control panel |
| 8020054C | Cheese Vats (offshore purchasers only); 16;000 litres; Damrow cheese vats;-Platform &; stairs;-Vats complete;-Control panel |
| 8020054D | Cheese Vats (offshore purchasers only); 16;000 litres; Damrow cheese vats;-Platform &; stairs;-Vats complete;-Control panel |
| 8020055 | LOBE Pump; Cheese LOBE pump; 4/4 Inlet/Outlet |
| 8020056 | Lifting Arm Pacific Hoist model PEN 125; 250kg lifter but frame only rate 50kg Swl |
| 8020057 | Sieve; Kason Sieve model K48-1-55 doing unders/overs with discharge hopper |
| 8020058 | Pump APV centrifugal; 2/2.5; whey pump for Damrow |
| 8020059 | Valve Bank; Valve bank to feed; Damrow Vats;-21 Keystone valves (various configuration) F783 EASYMIND + F784 EASYMIND |
| 8020060 | Pump centrifugal; 3/4; APV PUMA |
| 8020061 | Cheddaring Belt (offshore purchasers only); Complete with pumps; and valves.; 1x Grundfos Pump; Dimensions (m):Length: 9.3; Width: 4.9 |
| 8020062 | Screw Conveyor; Screw Conveyor from cheddaring to salting (just conveyor); Dimensions (m):Length: 4.5; Width: 0.3 |
| 8020063 | Salting Belt alfa laval; Salting belt with salter removed; filter; steam/Hw tubular heat exchanger; Dimensions (m):Length: 7.1; Width: 1.8 |
| 8020064 | Screw Conveyor; Screw Conveyor; Dimensions (m):Length: 5.5 Width: 0.3 |
| 8020065 | 200 litre tank |
| 820065A | Bag filter |
| 820065B | Stainless steel centrifugal pump |
| 820065C | Flow plate with valves |
| 8020066 | LOBE Pump; 25/25mm complete with motor 70degreesC at 7 Bar |
| 8020067 | Cooker/Stretcher Johnson (offshore purchasers only); -Single auger system-3m infeed conveyor-0.6 x 3.2 auger-steam/water HE-3 pumps (2 centrifugal) (1 Grundfos)-Panel view 1000-skid mounted-Lifter for connection to moulder Dimensions (m):Height: 3.0 Length: 7.1 Width: 3.0 |
| 8020068 | Moulder by Stainless Steel Fabrication (offshore purchasers only); - Automatic Moulder for 5kg blocks-200 moulds (.13 x .105 x .38)-3 pumps for cooling water-S/S fabrication in feeder-Mould wash with pump-S/S Mould transport station |

| | |
|---------|---|
| 8020069 | Moulder by Dima (offshore purchasers only); 60 head moulder for smaller moulds (.06 x .06 x .242 m)-two spare carousels |
| 8020070 | Moulder by Dima(offshore purchasers only); Moulder with two rotary ball making rollers(09 x 06)2x Moulders1x 90mm diameter1x 65mm diameter |
| 8020071 | Brine Bath; -Brine bath filters-Bath 26m x 3.8m wide x .3m deep-Four pumps (3/4)-Outlet for cheese 29;000 litres Dimensions (m):Height: 0.7Internal Height: 0.3Length: 3.2Width: 3.8 |
| 8020073 | UF Plant; UF plant for brine-single skin feed tank 1500 litre-centrifugal pump-AB panelview 600-buffer tank Dimensions (m):Internal Depth: 1.1Internal Diameter: 1.6 |
| 8020074 | Filter Aread model SAF 1500 PRO; Filtering brine Weave wire; scraping style380V AC Dimensions (m):Lenght: 0.8Width: 0.25 |
| 8020075 | Sifter; Kason 48 inch; sifter with outfeed tank (overs/unders)- |
| 820075A | Stainless steel centrifugal pump |
| 820075B | Stainless steel strainers in line 2 off |
| 8020076 | Salt Mixing; Salt Mixing-pallet lifting-2x salt mixing tanks: -1x (2.2L x 1.1w x 1.2d) -1x (2.2L x 1.9w)-2x mesh filters-2x pumps-1x conveyor + pipework |
| 8020077 | Conveyor; Pack off conveyor Motor: SEW 0.25kw 1300 rpm Eurodrive typ &DFR63L4Plastic belt Dimensions (m):Height: 0.85Length: 10.58 Internal Width: 0.17 |
| 8020080 | Conveyor; Plastic Belt Conveyor Dimensions (m):Height: 0.9Length: 4.6Width: 0.58 |
| 8020081 | Slated Belt Conveyor; Slated Belt Conveyor with 90 degree bend S/S Motor Dimensions (m):Height: 0.8Length: 3.0 Curve: 1.0 Width: 0.15 |
| 8020082 | Bag Inserter Cryovac; Used for inserting cheese blocks into bags Dimensions (m):Length: 1.2Width: 0.36 |
| 8020083 | Conveyor LMP model 8600-14; Contech LMP Conveyor Dimensions (m):Height: 0.95 - 1.2Length: 3.67Width: 0.4 |
| 8020084 | Pallet Racking Drive Thru ; 9 Bays 10m long x 4m high x 1.2m wide4 Bays 5m long x 3.5m high x 1.2m wide |
| 8020086 | Cheese Packing JMP; -Carton erector-carton taper-robot puts on pallet-pallet dispenser-Liner dispenser Robot kawasaki serial: ZDI305-D-; Pallet Loading JMP ZX1301 -B; Three lanes of pallet conveyor to cheese line - robot for picking up (Robot is sold) |

| | |
|----------|---|
| 80201364 | Tank; 3000L Single skin S/S Tank-Top manway-Cone Bottom-4 S/S Legs-1920 Pump no motor Dimensions (m):Height: 1.7 Length: 0.6 Width: 1.55 |
| 80201365 | 80201366; Tank; 8000L Steam jacketed tank (Coils)Agitator motor Dimensions (m):Height: 2.31 Leg Height: 0.3 Width: 2.16 |
| 80201367 | Tank Bell Bryant; 3000L S/S Tanks with drain tables on top.-2 agitator-used for steam injection Dimensions (m):Height: 1.86 Width: 1.46 |
| 80201368 | Tank Bell Bryant; 3000L S/S Tanks with drain tables on top.-2 agitator-used for steam injection Dimensions (m):Height: 1.86 Width: 1.46 |
| 80201369 | Tank Bell Bryant; 3000L S/S Tanks with drain tables on top.-2 agitator-used for steam injection Dimensions (m):Height: 1.86 Width: 1.46 |
| 80201370 | Tank; 3000L S/S Tanks2 agitators Dimensions (m): Height: 1.86 Width: 1.46 |
| 80201371 | Tank; 3000L S/S Tanks2 agitators Dimensions (m): Height: 1.86 Width: 1.46 |
| 80201372 | Tank; S/S Tanks Dimensions (m): Height: 1.6 Width: 1.4 |
| 80201373 | Tank; S/S Tanks Dimensions (m): Height: 1.6 Width: 1.4 |
| 80201374 | Heat Exchanger APV plate ; Heat Exchanger |
| 80201375 | Casein Drier Bates; S/S Casein Drier Screw conveyorRoller dimensions (m):Length: 1.3Diameter: 0.36 |
| 80201376 | Casein Drier & Screw Conveyor; Casein Drier & Screw Conveyor |
| 80201377 | 80201378; Powder Silo; Mild Steel Powder Silo Dimensions (m):Total Height: 6.38Leg Height: 2.49 Length: 4.3 Width: 2.3 |
| 80201378 | Powder Silo; Mild Steel Powder Silo Dimensions (m):Total Height: 6.38Leg Height: 2.49 Length: 4.3 Width: 2.3 |
| 80201379 | Electrical Items; Electrical Items1) AB 160 Series2) Telemecanique square D Altivar 183) AB Flex 404) AB 160 series5) Danfoss VL76000HVAC x 3 (one incomplete)6) Schneider Altivar 7130kw7) AP Power flex 700 |
| 80201380 | Hot Water Cylinder; Hot water cylinder |
| 80201381 | Air Conditioners; 3x Air Conditioners Carrier AO15H-2 Toshiba RAS 185AU2-A Carrier 38P25OHX |
| 80201382 | Caustic Tank; 3000L S/S Caustic Tank Agitator &; Motor Dimensions (m):Height: 1.86Width: 1.46 |
| 80201385 | Dust Collector; Dust Collector1. Mikro pulveriser Type 47LT2. 3 Powder bagging station3. Powder Silo4. Roller mill Dimensions (m):Height: 5.0 Length: 1.3 Width: 2.1 |

| | |
|----------|--|
| 8020402 | Horizontal Tanks; Horizontal Tanks Chilled water jacket 1.. |
| 8020402A | 50/50 lobe pump |
| 8020402B | 2 x LKM 10 165 4kW |
| 8020402C | Small balance tank |
| 8020407 | Tank; 10000L Insulated S/S Tank Heat recovery tank Dimensions (m):Height: 6.1Leg Height: 1.0Width: 1.5 |
| 8020409 | Tubular Heat Exchanger; hipex PT115-18-3000; Tubular Heat Exchanger |
| 8020410 | Screw Conveyor; Screw Conveyor Dimensions (m):Length: 4.5Width: 0.18 |
| 8020411 | Cooling Tower; BAC; Cooling Tower Dimensions (m):Height: 5.0Length: 3.9Width: 5.3 |
| 8020416 | Compressed Air Vessels; Compressed Air Vessels |
| 8020417 | Air Compressor compair screw type 604ONO74 & Drier; Air Compressor and Drier7.5 Bar5.08 m ³ /mIn/out kw 30 Drier CD7606A (1986)6x Ultrafilter |
| 8020418 | Hydrovalve; Three units Test press 18 Bar Hours 23458/16 |
| 8020419 | Pallet Wrapper; Pallet Wrapper |
| 8020420 | Acid Tanks; Acid Tanks Sodium Hydroxide/AceticAcid Plus pumps & pipework |
| 8020421 | Tank; PLC Eng; 10000L Tank-Cone bottom-Ladder on side-Manway on bottom Dimensions (m):Height: 6.0Leg height: 1.8Width: 1.5 |
| 8020422 | Tank; 60000L Tank-Alcove type/side agitator-S/S with outer sheets Dimensions (m):Height: 8.0Width: 3.1 |
| 8020423 | Tanks & Pump; Tanks &Pum p 5x CIP Tanks 4 x APV Pumps 1x Lobe Pump(33/35 5.5kw)With platform Dimensions (m): Height: 1.9 Total Height: 2.2 Width: 1.5 |
| 8020425 | Plastic Tank; Plastic Nitric Acid Tank9000L plus pump |
| 8020426 | Alcove Tank; 65000L Alcove tank- Side agitator mild painted steel outer-Flow meter & 2 valves Dimensions (m):Length: 9.0 Width: 3.0 |
| 8020427 | Tank & Pump; 400L S/S Tank on legs.Dimensions (m):Diameter: 0.8 Height: 0.8 Pumpc302uf P90Serial: 50676 MtB3 |
| 8020430 | Boiler cowley; Boiler 3 Ton per hour |
| 80201362 | Rotating Sieve; Rotating Sieve |
| 80201363 | Tank; 3000L Single skin S/S TankDimensions (m):Height: 1.7Leg Height: 0.6Diameter: 1.55 |

| | |
|----------|--|
| 8020087 | Shred Feed Line JMP D40FD001; -Hot air gun melts tap-Robot removes cheese-Infeed Conveyor (Cobden):Length: 1.5mWidth: 0.3mHeight: 1.2m-Second Conveyor:Length: 4.0mWidth: 0.3mHeight: 1.2m-Cut & disposal chute |
| 8020088 | Bale Press Miltek; stainless steel; Bale weight plastic ;225kgCardboard 125kg |
| 8020089 | Vacuum Pick Up Schmalz; Vacuum Pick Up |
| 8020090 | Robotic Bag Remover; -Infeed Conveyor 3.2m Long x 0.45m Wide x 1.2m High -Bag piecer (two lanes): 3.7m Long -robot cut plastic (kawasaki PSOSC)-robot removes bag. Model: FS006L-robot bag removed-conveyor feeding to block cutter |
| 8020091 | Conveyors; 3x ConveyorsReject conveyor to vacuum loading-slat driven conveyors-straight section (2) - 1200 long-curved bend2nd Conveyor:Dimensions (m):Width: 0.4Height: 0.9Length: 1.6Right Angle Curve: 2.2Roller Conveyor:Length: 1.7 |
| 8020092 | Block Cutter; -Infeed conveyor 0.5m Wide x 2.7m +3.3m Long x 0.9m High-Push through block cutter-AB panel view 600-Pump |
| 8020093 | Shredding lines (2); Urshall RA x 3Urshall CC2x Feed conveyor 7m x 0.3m2x Out feed to tumblers (3m)2 x rotating tumbler drum - TripaxAcromet feeder (dosing both lines)Bag Dump to Acromet |
| 8020093A | Conveyor to shredding room upstairs |
| 8020093B | Urschel RA Dicer |
| 8020093F | Rotating tumble drum |
| 8020093G | Acromet feeder |
| 8020093H | Rotating tumble Drum |
| 8020093I | Acromet feeder |
| 8020095 | Bagger Room; -Propac AV3.2 VFF3 Ser 4135 june 2005-Out feed conveyor-Loma metal detectorGap Width: 0.45mHeight: 0.3m-Propac AV3.2R ser 4198-Small slope flat conveyor:Length: 1.1mWidth: 0.35m-Central line conveyor:Length: 3.0mWidth: 0.3m |
| 8020094 | Multihead; Isida 141x CCWR214W15/70-WP 2006 Large bucketsida 14CCW-Z-214W-530WP1993 - |
| 8020094A | Multihead (2); Isida 14CCW-Z-214W-530WP 1993 |
| 8020094B | Flow Force Australia Stainless steel bag filter:Bag house 1m x 1m x 1.2m height-ladder |
| 8020094C | Hot wash tub:Internal dimensions (m):Length: 1.6Width: 0.9Depth |

| | |
|----------|---|
| 8020096A | Shred Packing Room; -Carton Taper with video eject Roller Conveyor:Width: 0.6mLength (curved): 2.8mHeight: 0.7m-Inclined conveyor belt:Length: 2.3mHeight: 0.7m-1.5m-Driven roller conveyor:Length: 5.7m Width: 0.6mHeight: 1.5m-Driven roller conveyor |
| 8020096 | Ricotta Line |
| 8020096B | Ricotta Line pump |
| 8020096C | Ricotta line 47 series flow meter |
| 8020096D | Ricotta line Packline 2 lane tub filler, 4 station, tub dispense, fill, foil dispense and seal |
| 8020096E | Ricotta Line 9000 litre scraped agitator tank with jacket and steam injection |
| 8020096F | Ricotta Line 3000 litre scraped agitator tank with jacket and steam injection |
| 8020096G | Ricotta line lobe pump |
| 8020097 | Tank; 80,000 litre tank-air agitation-insulated-Alcove |
| 8020098 | Tank; 110,000 litre tank-side agitation-insulated-Mild steel outer |
| 8020099C | Pump APV centrifugal; Pump |
| 8020100 | Pasteuriser plate style; APV Paraflow HXSepac (steam to hw)Thornhill 5141 x 100 litre balance tanks3 x pumps (one with stainless steel motor) |
| 8020102A | Pumps Centrifugal APV; Centrifugal tank unloading pump2/3 |
| 8020102B | Pumps Centrifugal APV; APVW Series 55/3511kw 2835RPM |
| 8020102C | Pumps Centrifugal APV; APV Puma series 52/25.5 impeller |
| 8020102D | Pumps Centrifugal APV; 2.5 inlet & outlet |
| 8020102E | Pumps Centrifugal APV; 2.5/2 inlet & outlet |
| 8020103 | LOBE Pump; Lobe pump50/50 |
| 8020104 | Heat Exchanger alfa laval; -Heat Exchanger with no plates-2x centrifugal pumps-filterGrundfos hot water pump CR3-17-AAA-E-HQQE1.5 kw 3cubic m per hour at 82.8m head.Alfa LavalCast iron pump2/0.5 |
| 8020105 | Heat exchanger; tubular type Whey Cooler; -Spiroflo HE (4 tubes 3m x 100mm)-PHE-PumpOverall Dimensions (m):Length: 5.4Width: 1.2 |
| 8020106 | Pumps/Tanks; -3 pumps-2 horizontal mild steel clad tanks (scrap) |
| 8020108 | Flow Meter Module; -2x series 47 flow meters mounted on from -4 valves-pipework-2 automated keystone feed valves with flow meters-Hovap air operated process valve (keystone) |
| 8020109 | Buflovac Drier/Evap; -3,000 gal/hr rising film evaporator (3 affect)-K12 homogeniser-Small balance/feed tanksBox drier |

| | |
|---------|---|
| 8020378 | 8020379; Wraparound Case Packer Involvo PTF28MG; 5 boxes Wraparound case packers packed into crates. Dimensions (3 larger ones) (m): Height: 2.32Width: 1.9Length: 3.345Dimensions (2 smaller ones) (m):Height: 2.27Width: 0.71Length: 2.29 |
| 8020380 | Bag Palletiser JMO 8430; 25kg Bag palletiser Bag Infeed (m):Length: 3.2 Width: 0.5 Pick up (m):Length: 0.9 Width: 1.4Pallet Stacker (m):Width: 2.25Depth: 1.2 Height: 3.5Loading (m):Length: 2.3 Width: 1.1 Outfeed (m):Length: 2.1 Width: 13.3 Complete guards |
| 8020381 | Bottle Conveyor stork; Bottle conveyor Two parts. Part 1 (m):Length: 3.18Width: 0.36Top Height: 1.65Part 2 (m):Length: 3.8Width: 0.6 |
| 8020382 | Lifting Frame by lifting techniques; Lifting frame SWL 1000kgBar with lifter and support frame |
| 8020383 | Conveyor chain; Single width conveyor chain |
| 8020384 | Conveyor Belt; Plastic Conveyor belt Width: 0.59m |
| 8020385 | Spare Parts; 6 Pallets spare parts |
| 8020386 | Bottle Divider posimat; Bottle Divider Dimensions (m):Height: 1.5Length: 2.3Width: 1.17 |
| 8020387 | Boiler; Babcock boiler Capacity: 11,000 kg/hr from and at 100 degreesC Design press: 200 psiType: Bent tube radiant bi drum Dimensions (m):Height: 5.8Length: 7.1Width: 5.4 |
| 8020388 | Boiler maxitherm; Boiler 6 tons per hour Going but some tubes blocked |
| 8020389 | Heat Exchanger APV N35HE; Three section heat exchanger with 150mm holding tubes |
| 8020393 | Tank; 150L S/S single skin Balance Tank; mixer and 2 lobe pumps. Tank dimensions (m):Height: 0.57Width: 0.6Cone tank feeding1" Lobe pump |
| 8020394 | PHE; Alfa Laval; PHE Three section; clip gaskets - on stands. Plus pump & motor. |
| 8020396 | Pump - Flowplate ; 2x W+35/55 APV Pumps. RPM 28551x Flowplate3x 2 way keystone valves |
| 8020397 | Tank; 9000L Tank with flow plate-4 keystone valves-Foxboro 47 series flow meter Tank; vent; top inlet; bottom center 3" outlet with 1" outlet.S/S single skinDimensions (m):Height: 3.4Leg Height: 0.75Width: 1.9 |
| 8020398 | Tank; 5000L S/S TankSide bottom outlet; 50mm with overflowLifting Lid |
| 8020399 | 8020400; Horizontal Tanks; Approx 10,000L S/S Horizontal tanks.-Cold water jacket-Agitator & motor-Spray Ball-Laddera |

| | |
|---------|--|
| 8020353 | Accumulation Table; Accumulation Table Dimensions (m):Height: 0.726Length: 1.2Width: 1.34Outfeed roller: 1400 x 230 mm wide rollers, Roller pitch 75mm Gravity roller.Mobile on wheels. |
| 8020354 | Collating Table; Collating Table Rotating with plastic table with S/S legs Dimensions (m):Height: 0.89Width: 1.1Diameter: 1.2 |
| 8020357 | Conveyor Belts; Pallet of new conveyor belts; plastic; slates.6 Rolls Width: 0.5m |
| 8020358 | Pallet Lifter titan BG 1500; Pallet Lifter1500kg capacity Rotating turntable Painted mild steel. Dimensions (m):Height: 0.9Width: 1.4Length: 1.4 |
| 8020359 | Collating Table; Bottle collating table with plastic table and motor Dimensions (m):Diameter: 1.2Height: 0.9S/S mobile frameS/S control panel |
| 8020360 | Heat Sealer Mercer ME 805FDV; Heat sealer on stand2700WTSingle phaseSealing bar 8001.5m high |
| 8020361 | Lid Applicator; Incomplete in line lid applicator with S/S frame Dimensions (m):Length: 2.6Width: 0.08Set up for 80mm cap diameter |
| 8020362 | S/S Hopper; S/S hopper with pneumatic paddles Dimensions (m):Height: 0.62Length: 0.5Width: 0.53 |
| 8020364 | Case Packer Spares; Case Packer Spares |
| 8020365 | Spares; Pallet of spares |
| 8020366 | Spares; Hose/wire |
| 8020367 | Spares; Nordson spares |
| 8020368 | Pumps and Valves; Cast iron Pump valves1x Ajax centrifugal pump with:-125mm inlet-100mm outlet-CMG Motor 5.5 Kw1x S/S submersible 80mm discharge1x Saunders diaphragm valve; S/S hand operated |
| 8020369 | Vacuum Pump; Vacuum Pump Leroy summer motor rated for 104kw |
| 8020370 | Spares; Spares |
| 8020371 | Gear Box &Motor; Gear box &motor |
| 8020372 | Blowmoulder water pump |
| 8020373 | Spares; 3 pallets of Spares |
| 8020374 | Conveyor Chain; Conveyor chain |
| 8020375 | Motors; 10 pallets of motors |
| 8020376 | Electrical Spares; 2 pallets of electrical spares |
| 8020377 | Mobile Flexi Conveyor; Mobile flexi conveyor Dimensions (m):Length: 2Width: 0.48 |

| | |
|----------|--|
| 8020113 | Forced Drought Burner Riello RS1000; Forced Drought Burner Type 55843With Gastrain; gas regulator Siemens control |
| 8020114B | CIP Filters bag type; Single CIP filters: EATON FiltratoinFBF-0102-BB10-050WFilter housing Max 10 Bar120 degrees C27 Litres Dimensions (mm):Diameter: 200Length: 90050mm BSM with keystone butter fly valves |
| 8020114C | CIP Filters bag type; Single CIP filters: EATON FiltratoinFBF-0102-BB10-050WFilter housing Max 10 Bar120 degrees C27 Litres Dimensions (mm):Diameter: 200Length: 90050mm BSM with keystone butter fly valves |
| 8020114D | CIP Filters bag type; Single CIP filters: EATON FiltratoinFBF-0102-BB10-050WFilter housing Max 10 Bar120 degrees C27 Litres Dimensions (mm):Diameter: 200Length: 90050mm BSM with keystone butter fly valves |
| 8020115 | Double Reject Station Ishida Model RE-G-060-A3-3/CR-M; Double Reject Station (2 Wire Arms)Base Dimensions: Length (m): 1.2Width (m): 0.63Angle (degrees): 20-30Conveyor/Reject Dimensions: Length (m): 0.75Width (m): 0.49Height (m): 0.84 |
| 8020116 | Pump Helical rotor style ; Old Stretcher Trunks worm pump Mono pump; 80mm BSM in out3.0kw; 1450rpm; motor 135rpm; s/s frame Dimensions (m):Length: 2.5Width: 0.45 |
| 8020117 | CIP Filters bag type; 2 x CIP Filters (No frame) |
| 8020119 | Conveyor; S/S Conveyor Small Clets 25mm on 200mm pitch S/S legs 3 phase 10 amps Dimensions: Length (m): 1.68Width (m): 0.29Angle (degrees): 45 |
| 8020120 | Check Weigher; Check Weigher Up to 1kgRCCI Industrial Electronic With Reject S/S Frame &; Base Dimensions (m):Overall Height: 1.8Length: 1.1Width: 0.3Model WDD330 |
| 8020121 | Cheese Cutter; Air Operated For 20kg Blocks |
| 8020123 | Conveyor; Conveyor for bag sealer Painted mild steel frame0.75kw motor - 32RPMDimensions (m):Length: 6.5Width: 0.45 |
| 8020125 | Bag Turn |
| 8020126 | Conveyor; S/S Conveyor with Galvanised legs0.75kw SEW motor - 36RPM output Dimensions (m):Length: 1.85Width: 0.45 |
| 8020127 | Conveyor; M/S Conveyor Dimensions (m):Length: 2.48Width: 0.38 |
| 8020128 | Corner Conveyor; Corner Conveyor Dimensions: Length: 2mWidth: 0.55mAngle: 45 degrees |

| | |
|----------|--|
| 8020131 | Bucket Elevator Chain; DMC Dicer Gear Box |
| 8020132 | Stretcher Parts; Stretcher Parts(Trunks + Pipes) |
| 8020133 | DMC Belt; DMC Belt |
| 8020134 | Misc Electronic Items |
| 8020135 | Exhaust Fan Fantech; Exhaust fan Diameter: 0.95m |
| 8020136 | Elevator Buckets; 49x Briquette elevator buckets |
| 8020137 | Centrifuge Pump Fristam; Centrifuge pump + gear box incomplete |
| 8020138 | Rubber Hose; 4 inch Rubber hose |
| 8020140 | Old Stretcher Lids; Old Stretcher Lids |
| 8020141 | Electrical Cable; 2 Reels of Electrical Cable |
| 8020142 | Pump; Brook Motor centrifugal cast iron Pump KW 5.5RevMount Style: Base |
| 8020143 | UF Plant Filters; UF Plant Filter cartridges Part Number: FE6338-OHO1-S |
| 8020144 | Fire Bricks; Fire Bricks insulation for boilers |
| 8020145 | Conveyor; Conveyor Length: 1.8mWidth: 3.3m |
| 8020146 | Metal Detector Graseby goring kerr; Metal Detector Conveyor Dimensions (m):Length: 2.1Width: 0.43Detector Opening Dimensions (m):Width: 0.45Height: 0.15Diameter: 0.33 |
| 8020147 | Conveyor; S/S Conveyor Dimensions: Length: 3.5mWidth: 0.45mAngle: 20-30 degrees |
| 8020149 | Large Ishida Reject Stations for check weigher or metal detector; Large Ishida Reject Stations Dimensions (m):Height: 0.48Length: 0.8Width: 1.25 |
| 8020150 | Old Stretcher Lids; Old Stretcher Lids |
| 8020151 | Motor; Motor KW 5.5Rev 960Mount: Base |
| 8020152 | Motors; 2 x Motors1 x KW 5; Fl speed 2900; Mount: Base; Face.1 x KW 1.85; REV 1410; Mount: None; Cason Sifter Motor. |
| 8020153 | Bucket Conveyor Belt; Bucket Conveyor BeltM32; M33 |
| 8020154 | Moulds; 2.5kg Moulds for SMC |
| 8020155 | Moulds; 2.5kg Moulds for SMC |
| 8020156 | Old Stretcher Augers |
| 8020157 | Lab Incubators; Lab Incubators 1 x Claysen0.3kwSingle phase Dimensions (m):Length: 0.63Width: 0.5Height: 0.745 |
| 8020157A | Lab incubator |
| 8020158 | Conveyor; Conveyor with air operated gate Dimensions (m):Height: 0.9Length: 1.8Conveyor width: 0.45Overall width: 0.95 |
| 8020160 | BBQ; BBQ |

| | |
|---------|---|
| 8020330 | Bulk Bag Filler brand liquipac; Two headed bulk bag filler Last calibrated 2013EMC 2064 weigh batch control |
| 8020331 | Conveyor; Roller conveyor with platform for ink jet printer Dimensions (m):Length: 1.75Width: 0.63 |
| 8020332 | Case Packer advam model 270; Case packer Advance system 270 with Nodson 3100 hot gluer Dimensions (m):Height: 1.969Length: 1.39Width: 0.0749 |
| 8020333 | Case Packer advam model 270; Case Packer Advance system 270 modular case packer with Nordson 3499 hot gluer Dimensions (m):Height: 1.9Length: 2.2Width: 0.75 |
| 8020334 | Pumps centrifugal; 2 pumps; S/S fittings a 20 litre S/S tank. |
| 8020336 | Pumps &; Fittings; 2 Pallets of pumps fittings APV 35/35 5.5kwco/8 0.75kw |
| 8020337 | Tank; 1700 litre Oil weigh tank100mm bottom outlet Dimensions (m):Height: 1.3Leg Height: 0.4Width: 1.3 |
| 8020338 | Pump HE |
| 8020339 | Pump centrifugal APV; Pump55/35 11kwImpeller 190mm |
| 8020340 | Valves; Pallet of assorted valves |
| 8020341 | Pump; Lobe pump &; motor75/75 7.5kw |
| 8020343 | Pumps APv centrifugal W series +22/20; Pumps3kw |
| 8020344 | Metal detector; pipeline style; S/S Frame with:-Mico motor RF19789E- Pipe metal detector-Valve &; pipework |
| 8020829 | Tank; 2000 litre; single skin; open top tank. |
| 8020346 | Check Weigher; metler toledo; Small check weigher conveyor |
| 8020347 | Pallet magazine fibre king; S/S Frame with roller conveyors |
| 8020348 | Taper; Taper-Top tape only-Missing bottom tapping head-Side belts-Galvanised frame-Mobile |
| 8020349 | Inkjet Printer;hitachi model 260 WL; Inkjet Printer PXRd-Single phase-All S/S on S/S mobile withdraw. |
| 8020350 | Cap Conveyor Makum; Cap conveyor used for conveying & aligning caps Dimensions (m):Height: 1.85Length: 1.45Controller PMU330Currently set up for a 65mm cap diameter x 15mm high. |
| 8020352 | Single Head Vibrating Feeder enmin; Single head vibrating feeder to tube filler. Pocket filler: Diameter: 80mmHeight: 330mmPneumatic slide valve on s/s stand.Missing control panel |

| | |
|----------|---|
| 8020308 | Display Fridge; Display Fridge Model RSFM3021Refrig R22 |
| 8020311 | Pallet of Various Filters; Pallet of Various Filters21 Complete boxes + 1 part |
| 8020313 | Compactor; Compactor complete with hydraulic unit |
| 8020314 | Parts; Pallet of Gearbox Drives |
| 8020314A | Pallet of filing cabinents |
| 8020314B | Pallet of Lenze Drives |
| 8020314C | Pallet drives and electric motos |
| 8020314E | Pallet of gearbox with motors |
| 8020314F | Pallet of electric spares |
| 8020315 | Adhesive; Adhesive10 x 20kg pailsFullafix 28-10Water based adhesive |
| 8020316 | Filters; Filters in pallet boxesNiro filters others |
| 8020317 | Gearbox &Motors; Pallet containing:5x Gearbox &; motors2x Motors |
| 8020318 | Spare Parts; 5x pallets of spare partsA. BearingsB. Electric cables; box clocks - 2x codes - 2x Vac fans - 2x new APV valvesC. Pallet of odds & soddD. Spare conveyor beltsE. Spare parts |
| 8020319 | Gearbox &; Motors; 9x Gearbox &; assorted motors |
| 8020320 | Labels &; Cellotape; Labels &; Cellotape1x pallet of label boxes1x pallet of cellotape |
| 8020321 | S/S Items; |
| 8020322 | Ribbon Blenders; 2x S/S Ribbon blenders on mild steel frames.One complete (motor 5.5kw missing motor Vessel dimensions (m):Width: 0.77Depth: 0.85Length: 1.89 |
| 8020322A | Ribbon Blenders; 2x S/S Ribbon blenders on mild steel frames.One complete (motor 5.5kw) Vessel dimensions (m):Width: 0.77Depth: 0.85Length: 1.89 |
| 8020323A | Metal Detectors goring kerr model TEK21DSP; 2x Metal Detectors |
| 8020323 | Parts; 18 pallets full of parts |
| 8020326 | Heat Exchanger APV plate model 3R26512; Heat Exchanger Drawing: DS11869 |
| 8020327 | Heat Exchanger APV model 3RTHD672; Scraped Surface Heat exchanger Dimensions (m):Height: 1.62Length: 3.04Width: 1.013Heat Exchanger Length (m): 2.0 |
| 8020328 | Tubular Heat Exchanger hipex model PT115-16-3000; Insulated Tubular Heat exchanger3m long with 75mm shell 18mm tubes |
| 8020329 | Carton Taper; Carton Taper |

| | |
|---------|---|
| 8020161 | Bucket Elevator Chains; Bucket Elevator Chains(16 Sections) |
| 8020162 | Vacuum Pump; Busch Vacuum Pump Type 400-212 Motor Vacuum 0.5 Mbar |
| 8020163 | SMC ; SMC Prime Mover (less augers)-Pump motor for boiler-60Hz 15kw siemens-60mm Inlet |
| 8020164 | Cheese Infeed; 20kg Cheese infeed Byford Hose: Length: 1.9mDiameter: 0.1m |
| 8020165 | CIP Filter Stand; CIP Filter Stand (Stand Only) |
| 8020167 | Vertical Cheese Cutter; Vertical Cheese Cutter 20kg> |
| 8020168 | VFFS Packing Machine; VFFS Packing Machine |
| 8020169 | Air Compressor; screw type model 12-40 LAC; Sullair CompressorMax press: 760kPa |
| 8020170 | JMP Camera; JMP Camera light system |
| 8020171 | Cooling Tower Elements; Cooling Tower Elements |
| 8020172 | Cheese Stick Cutter; 10mm Cheese Stick Cutter on S/S frame Length: 3.5m0.37kw motor S/S control box with discharge belt: Length: 1.2mWidth: 0.3with manual infeed table |
| 8020173 | Label - Aire; Label – Aire 2139RF |
| 8020174 | Vacuum Pump Sapac; Vacuum Pump Fristam pump (no internal for pump) |
| 8020175 | Rovema Parts; Rovema Parts(Film Holder) |
| 8020176 | Packer vertical form fill and seal kawashima; VFFS |
| 8020177 | Gear Box and motor; Motor Gear Box-Kw 7.5-RPM 1430-V 415-Gear Box 6.39Small motor (near new)-kw 0.37-RPM 1390-2 Ammonia valves (new)-1 Ammonia isolation valve (new) |
| 8020178 | Vacuum Pump sihi ; Liquid Rinse Vacuum PumpLPHA 55320BN 041010 |
| 8020179 | Water Pump; Water pump Diesel water pump Ajax 4503mm x 60mm |
| 8020180 | Chamber Patches; Chamber Patches |
| 8020181 | Tin Sheets; 8 x Zinc plated tin sheets Sides bent up 15mmLength: 4.2mWidth: 0.62m |
| 8020182 | Exhaust Fan brand fantech; Exhaust fan Outside Diameter: 0.7mDepth: .04m |
| 8020184 | Cool Room Condensers; 2 x cool room condensers1 has 4 fans1 has 2 fans missing Dimensions (m):Height: 0.67Length: 3.06Width: 0.55 |
| 8020185 | Reel of Cable; Reel of Cable-300m^2 H68 Alum 0.6/1kw-XLPE Insulated-PVC sheathed to AS/NZS 5000.1-XLP 1x300 AL 0.6/kw PVC-Approx 78m |
| 8020186 | Sheet &; Rod Roller; Sheet &; rod roller |

| | |
|---------|---|
| 8020187 | Steam Radiator; Steam Radiator Dimensions (m):Depth: 0.13Length: 1.17Width 0.51 |
| 8020190 | Feed tube; Heyssan feed tubeDiameter: 0.18m |
| 8020191 | Jockey Scales tolebo; Jockey Scales up to 110kg |
| 8020192 | Bag Lifter; 25kg Bag LifterNo pump |
| 8020193 | Steam Valve; Samson Steam ValveIncomplete.2 CL300 |
| 8020194 | Conveyor; Conveyor Dimensions (m):Height: 0.84Length: 2Width: 0.39 |
| 8020195 | Heat Exchanger Ends; Heat Exchanger Ends |
| 8020196 | Exhaust Fan; Exhaust Fan Kw 0.05 0.29RPS 23V 240 |
| 8020198 | Exhaust Fan; Exhaust Fan (No Grill)Outside Diameter: 715mmDepth: 600mm |
| 8020199 | Wood Thicknesser |
| 8020200 | SMC Moulds; SMC Moulds5kg |
| 8020201 | Conveyor; Plastic slated S/S Conveyor Dimensions (m):Height: 0.86Length: 1.9Width: 0.35 |
| 8020203 | Weigh Hopper; 14 Weigh hopper and 14 radial feeders for data weigher. |
| 8020204 | Pool Hoppers; 14 Pool hoppers for data weigher |
| 8020205 | Control Box; Halco control box10 lights2 switches1 press stop button |
| 8020206 | Box Lifter And Turner; Box lifter and turner + Heyssan feed tubeTube diameter: 90mm |
| 8020207 | Feed Tubes; Kawashime feed tubes Diameter: 180mmDiameter: 90mmDiameter: 130mmAll tubes are in average condition |
| 8020209 | Mixing Barrel |
| 8020210 | Shredder tripax; 20kg Shredder No blade |
| 8020211 | Electrical Cabinet; Double electrical cabinet Dimensions (m):Height: 1.05Depth: 0.36Width: 1.7 |
| 8020213 | Powder Hopper with auger outlet at bottom Dimensions (m):Height: 1.4Width: 0.78 |
| 8020214 | Kawashime Items; 2 Hoppers1 Forming collar (Large) |
| 8020215 | Powder Feeders; 2 powder feeders |
| 8020216 | Miscellaneous Guards; Miscellaneous Guards |
| 8020217 | Feed Tubes; Feed Tubes Diameter: 80mm Diameter: 100mm |
| 8020219 | Electric Pallet Lifter; Electric Pallet Lifter |
| 8020220 | Weighing Head; Weighing Head Data Weigher |
| 8020222 | Conveyor; Dimensions (m):Height: 0.4Length: 0.9Width: 0.4 |

| | |
|---------|---|
| 8020223 | Cube Cutter; Air Operated Cube Cutter No Controls Block dimensions (m):Height: 0.075Length: 0.17Width: 0.095 |
| 8020229 | Moulds; Bin full of SMC Moulds |
| 8020230 | Moulds; Bin full of SMC moulds |
| 8020231 | Self Cleaning Dust Collector Pneuway; Dimensions (m):Height: 1.23Length: 0.64Width: 0.8 |
| 8020232 | Powder Auger and Hopper; Length: 1m inlet to outlet Hopper Dimensions (m):Height: 0.95Length: 1Width: 0.77 |
| 8020233 | Conveyor Frame; Conveyor Frame Dimensions (m):Front Height: 0.28Back Height: 1.03Length: 2.3Width: 0.45 |
| 8020234 | Fan Impeller Diameter: 0.7mAtomizer power plug &; socket |
| 8020235 | Hoist SWL 0.5 Tonne Lift 3m Type 1/25Class 2 chain size 6.3mm |
| 8020236 | Fume Extraction Unit Production code FDC-BF240VHz50Kw75 |
| 8020037 | Chutes &;Hopper Urschel shredder guards |
| 8020238 | Conveyor; Mild steel conveyor Dimensions (m):Front Height: 0.78Rear Height: 1.52Length: 2.38Width: 0.4 |
| 8020240 | Small Powder Doser; Small powder doser |
| 8020241 | Fume Extraction Hose; Fume Extraction Hose Spray gun for metal (near new) |
| 8020242 | Weigh Head Parts; Weigh Head Parts Chutes and brackets for hayssen weigh head. |
| 8020243 | Small Samson Valve; Small samson valve |
| 8020302 | Curved Conveyor; Curved conveyor with SEW motor &; Gearbox 0.37kwDimensions (m):Length: 4.35Width: 2.71Motor driver rollers Dimensions (m):Roller width: 0.4Roller diameter: 0.05Total length: 3.07Straight section: 1.7 (the rest is curved) |
| 8020303 | Wheels; Eight boxes (2 black rubber wheels in each)Diameter: 0.15Internal diameter shaft: 0.15 |
| 8020304 | Conveyors; 2x Conveyors1. Belt conveyor with drum belt motor drive.2. Roller conveyor with one set of legs. Belt conveyor dimensions (m):Length: 1.4Width: 0.42Roller conveyor dimensions (m):Length: 1.5Width: 0.42 |
| 8020305 | Augers; 2x teflon coated augers Dimensions (m):Length: 1.56Width: 0.255 |
| 8020306 | Pump centrifugal APV puma series 5 ; Pump3/46 ¼ inch impeller18.5kw2950 RPM Stainless steel cover |
| 8020307 | Carton Erector JMP; Carton Erector |